Citadel 4 Playset Series CASTLES CYT-04



LIST OF MODULES TECHNICAL DATA

3 x barriera W6

1 x dragon slide

1 x tube slide

Max. height fall 1 x hexagonal tower 1 x climbing entrance 2,0 m 5 x square tower Dimensions 11,83 x 9,62 x 3,80 m 1 x rope entrance 1 x hexagonal roof 1 x arc-shaped entrance Safety area dimensions 15,2 x 12,6 m 1 x hipped roof 1 x rope cobweb Safety area 120,3 m² 1 x rope chimney Recommended surface According to norm 1176-1:2017 4 x gable roof 1 x rope and platform bridge 2 x entry ladder with barriers 6 x barriera W4

1 x bridge with barriers
1 x balance beam bridge

1 x suspended bridge

1 x rope bridge

Available options:

Available options:		
	STANDARD	PREMIUM
WOOD	construction elements made of solid wood, impregnated surface ,with square profile 95 x 95 mm	construction elements made of glued-laminated timber, impregnated surface, with square profile 95 x 95 mm
STEEL	galvanized and powder-coated steel elements	galvanized and powder-coated steel elements
PLATES	HPL sheets	HPL and three-coat HDPE panels with milled drawings
SLIDES	stainless steel slide with side-guard panels made of HDPE sheets	stainless steel slide with side-guard panels made of HDPE sheets and three-coat HDPE panels with milled drawings
FOUNDATIONS	The device permanently sited in the ground with C16 / 20 class concrete	The device permanently sited in the ground with C16 / 20 class concrete
ROPES	ropes made of steel cores wrapped in polypropylene strings, joined by nylon or aluminum connectors	ropes made of steel cores wrapped in polypropylene strings, joined by nylon or aluminum connectors
CHAINS	stainless steel Ø5 cm	stainless steel Ø5 cm
ADDITIONAL ELEMENTS	Structural posts protected with welded steel covers; bolts and screws protected with plastic end covers; round head	Structural posts protected with welded steel covers; bolts and screws protected with plastic end covers; round head

See to constant development of technical solutions and designs made by FreeKids s.c. presented renders may vary from currently produced products. Certificate compliant with safety norms PN-EN 1176:2017

