



LIST OF MODULES

- 2x square tower
- 1x slide
- 1x spiral
- 1x stairs
- 1x arc shaped rope entrance
- 1x barrier clock
- 1x barrier w4
- 1x abacus
- 1x barrier Tic Tac Toe

TECHNICAL DATA

- Max. height fall 1,2 m
- Dimensions 4,42 x 2,90 x 2,80 m
- Safety area dimensions 7,8 x 5,9 m
- Safety area 31,3m²
- Recommended surface According to norm 1176-1:2017

Available options:

| | PREMIUM | PREMIUM PLUS |
|---------------------|---|---|
| STEEL | Galvanized and powder coated steel elements | Structural poles of stainless steel, other elements made of galvanized steel with powder coating ** |
| PLATFORMS | HPL antislip | HPL antislip |
| PLATES | HDPE / HPL and HDPE plastic panels with three layers and milled drawings | HDPE / HPL and HDPE plastic panels with three layers and milled drawings. |
| SLIDES | Stainless steel slide, side shields made of HDPE | Stainless steel slide, side shields made of HDPE |
| ROPES | Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors | Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors |
| FOUNDATIONS | The device permanently sited in the ground, concrete class C16 / 20 | The device permanently sited in the ground, concrete class C16 / 20 |
| ADDITIONAL ELEMENTS | Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts | Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts |

* Due to the continuous improvement of technical solutions by FreeKids, presented drawing, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

** Optional execution of stainless steel elements (valuation available on individual request).