



**LIST OF MODULES**

- 1x TREEHOUSE 2
- 3x square tower
- 2x gable roof
- 2x slide
- 1x climbing roof
- 2x rope slanting tunnel
- 1x slanting bridge
- 1x stairs
- 1x rope arch ladder

- 1x barrier feeder two-layer
- 1x barrier shop two-layer
- 1x barrier bulleye two-layer
- 1x bulleye barrier
- 1x barrier W4

**TECHNICAL DATA**

- Max. Fall height: 1,50 m
- Dimensions (L x W x H): 9,24 x 6,38 x 4,30 m
- Safety area dimensions: 9,9 x 11,7 m
- Safety area: 69,8 m<sup>2</sup>
- Recommended surface: According to the norm 1176-1:2017

**Available options:**

	PREMIUM	PREMIUM PLUS
STEEL	Galvanized and powder coated steel elements	Structural poles of stainless steel, other elements made of galvanized steel with powder coating **
PLATFORMS	Anti-slip HPL	Anti -slip HPL
PLATES	HPL and three-coat HDPE panels with milled drawings	HPL and three-coat HDPE panels with milled drawings
SLIDES	Stainless steel slide, side shields made of HDPE	Stainless steel slide, side shields made of HDPE
ROPES	Polypropylene ropes with a steel core connected with solid aluminum and plastic connectors	Polypropylene ropes with a steel core connected with solid aluminum and plastic connectors
FOUNDATION	The device permanently sited in the ground with C16 / 20 class concrete	The device permanently sited in the ground with C16 / 20 class concrete
ADDITIONAL ELEMENTS	Structural posts protected with welded steel covers; bolts and screws protected with plastic end covers; round head	Structural posts protected with welded steel covers; bolts and screws protected with plastic end covers; round head

\* Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

\*\* Optional execution of stainless steel elements (valuation available on individual request)