



TECHNICAL DATA

| | |
|------------------------|-------------------------------|
| Max. height fall | 1,4 m |
| Dimensions (W x L x H) | 2,35 x 5,74 x 2,35 m |
| Safety area dimensions | 5,3 x 7,7 m |
| Safety area | 39,6 m ² |
| Recommended surface | According to norm 1176-1:2017 |

Available options:

| PREMIUM | | PREMIUM PLUS |
|---------------------|---|---|
| STEEL | Galvanized and powder coated steel elements | Structural poles of stainless steel, other elements made of galvanized steel with powder coating ** |
| CHAINS | Stainless steel Ø5 cm | Stainless steel Ø5 cm |
| FOUNDATIONS | The device permanently sited in the ground concrete class C16 / 20 | The device permanently sited in the ground, concrete class C16 / 20 |
| ADDITIONAL ELEMENTS | Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts | Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts |

* Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

** Optional elements of technical solutions (if the client has a specific request).